:

10/017,507

**Filed** 

December 13, 2001

## AMENDMENTS TO THE CLAIMS

Please amend the Claims as follows:

1. (Currently Amended) A water purifying unit including a head having a first and a second chamber, an inlet port, an outlet port and a transfer port between the first and second chambers all integrally formed within said head so as to form a single unit, each of the first and second chambers being arranged so that a sump can be removably secured thereto, a diverter mounted within each of the first and second chambers, the diverter dividing its respective chamber into an inlet zone and an outlet zone, each diverter further being arranged so that a purifying filter cartridge can be attached thereto and located within the associated sump, and wherein the head is arranged so that water can enter the head, pass into the inlet zone of the first chamber, through the associated cartridge and into the outlet zone of the second chamber, through the associated purifying cartridge into the outlet zone of the second chamber and out through the outlet port of the head.

- 2. (Currently Amended) A water purifying unit according to claim 1 wherein the head is molded as a single unit from a plastics material.
- 3. (Original) A water purifying unit according to claim 2 wherein the plastics material is an ABS plastics.
- 4. (Original) A water purifying unit according to claim 2 wherein the transfer port and outlet port are formed in the head by a single post molding drilling operation.
- 5. (Original) A water purifying unit according to claim 2 wherein each diverter is molded from a plastics material.
- 6. (Original) A water purifying unit according to claim 5 wherein the plastics material is an ABS plastics.

: 10/017,507

**Filed** 

December 13, 2001

7. (Currently Amended) A water purifying unit according to claim 1 wherein the diverter is shaped so that it can be pressed into its respective chamber and adhered thereto using an appropriate adhesive.

8. (Currently Amended) A water purifying unit according to claim 1 wherein the an inner wall of each chamber and the associated diverter include means for the proper positioning of the diverter in the associated chamber during assembly of the unit.

9. (Original) A water purifying unit according to claim 8 wherein the positioning means includes a complimentary indentation and protrusion.

10. (Currently Amended) A water purifying unit according to claim 1 wherein the an inner wall of each chamber and its associated diverter are configured so that when they are assembled together they define there between the inlet zone and the outlet zone.

11. (Original) A water purifying unit according to claim 1 wherein the diverter and cartridge have complimentary bayonet type fitting means to enable the cartridge to be secured to the diverter.

12. (Original) A water purifying unit according to claim 11 wherein the diverter includes a centrally located bayonet aperture and the cartridge includes a bayonet fitting at an upper end thereof.

13. (Original) A water purifying unit according to claim 12 wherein the bayonet fitting of the cartridge is arranged to pass through the bayonet aperture whereafter the cartridge can be rotated to positively locate the bayonet fitting within the diverter.

14. (Original) A water purifying unit according to claim 1 wherein a seal is provided between the diverter and the upper end of the cartridge to prevent water leakage there between.

: 10/017,507

**Filed** 

December 13, 2001

15. (Original) A water purifying unit according to claim 1 wherein each sump is molded

from a plastics material.

16. (Original) A water purifying unit according to claim 15 wherein the plastics material

is an ABS plastics.

17. (Original) A water purifying unit according to claim 1 wherein each sump is arranged

to be attached to the head by a threaded connection.

18. (Currently Amended) A water purifying unit according to claim 17 wherein the

an upper inner wall of the sump includes a screw thread arranged to threadedly engage with

a complimentary screw thread on a lower end portion of the chamber to which it is to be

secured.

19. (Original) A water purifying unit according to claim 18 wherein a seal is provided

between the lower end of each chamber and the associated sump to prevent water leakage.

20. (Original) A water purifying unit according to claim 1 wherein the sump is

configured so that a cartridge can be secured to the respective diverter and then the sump

connected to the head about the cartridge.

21. (Currently Amended) A water purifying unit according to claim 1 wherein

sufficient clearance is provided between the an inner wall of the sump and the an outer

surface of the cartridge to enable water to flow into the sump and through the cartridge.

22. (Original) A water purifying unit according to claim 1 wherein the cartridge includes

an upper end cap, a lower end cap, a fluid pathway and a filter member and wherein the

fluid pathway of the cartridge enables water that has passed through the filter member of

the cartridge to pass into the outlet zone of the chamber.

-5-

: 10/017,507

**Filed** 

**December 13, 2001** 

23. (Original) A water purifying unit according to claim 22 wherein spaced peripherally about the lower end cap of the cartridge are at least a pair of protrusions which are arranged to restrict or prevent side to side movement of a lower end of the cartridge when high water pressure loads are applied to the cartridge.

- 24. (Original) A water purifying unit according to claim 23 wherein the protrusions take the form of triangular shaped wings which extend outwardly of the cartridge.
- 25. (Currently Amended) A water purifying unit according to claim 1 further including means for enabling the unit to be attached to a surface such as a sidewall of a cupboard.
- 26. (Original) A water purifying unit according to claim 1 further including a decorative cover arranged to fit on the head to provide an improved aesthetic appearance to the unit.